

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("2001039455").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 08:46
L2	0	("jacksonneardouglas.in.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 08:47
L3	58	jackson near douglas.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 08:52
L4	1	("5632745").PN.	USPAT	OR	OFF	2007/04/06 08:53
L5	63	("3208450"   "3745590"   "4055862"   "4205400"   "4502161"   "4627853"   "4808185"   "4846835"   "4873976"   "4880429"   "4884572"   "4895148"   "4963489"   "5059206"   "5067964"   "5123927"   "5176710"   "5180388"   "5197985"   "5246441"   "5261914"   "5263987"   "5374270").PN. OR ("5632745").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/06 09:15
L6	40147	guide near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:02
L7	121	guide near device & shaft with contact near surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:24

## EAST Search History

L8	2	guide near device & shaft with first near contact near surface & second near contact near surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:30
L9	2269	guide near device & shaft with arms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:30
L10	17	guide near device & shaft with radial near arms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:32
L11	3	guide near device & first near element with shaft & contact near surface & second near element with contact near surface & bias\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:39
L12	9	guide near device & locat\$4 near2 working near axis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 09:44
L13	208	(606/71).CCLS.	USPAT	OR	OFF	2007/04/06 09:45
L14	241	(606/102).CCLS.	USPAT	OR	OFF	2007/04/06 10:02
L15	13899	guide near2 needle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:03
L16	8307	needle near guide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:26

## EAST Search History

L17	330	guide with (inner & outer) near shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:35
L18	0	guide near device & first near element with shaft & contact near surface & second near element with contact near surface & bias\$3	USPAT	OR	OFF	2007/04/06 10:37
L19	3	guide near device & first near element with shaft & contact near surface & second near element with contact near surface & bias\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:38
L20	2	guide near device & first near element with shaft & contact near surface & second near element with contact near surface & bias\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:38